



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 17:40
Last Report Issued 04/04/2022 05:35

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2499U-POS
Patient ID 2499U-POS
Chain 22000015
DOB Not Given
Sex Not Given
Workorder 22000015
Received 01/05/2022

Lab ID 22000015-001
Matrix Urine
Patient Name 2499U-POS
Patient ID 2499U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2499U Laxatives Panel (Qualitative), Urine				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Desacetyl Bisacodyl Synonym(s): Bisacodyl diphenol As a metabolite of bisacodyl, desacetyl bisacodyl was detected in urine over four days following administration of a 5 mg oral dose. The maximum excretion occurred on day 2 of the study.	Positive	ng/mL	5.0	
Rhein Rhein is an anthranoid derivative of natural laxative products. Rhein was detected in urine 32 hours following administration of senna.	Positive	ng/mL	5.0	
Emodin Emodin is an anthranoid derivative of natural laxative products. Emodin was detected in urine 12 hours following administration of rhamnus extract.	Positive	ng/mL	5.0	
Aloe-Emodin Aloe-Emodin is an anthranoid derivative of natural laxative products.	Positive	ng/mL	5.0	

Results for sample 22000015-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Lab ID 22000015-001

Matrix Urine

Patient Name 2499U-POS

Patient ID 2499U-POS

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.