NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 12:34
Last Report Issued 07/29/2010 09:39

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2499U
Patient ID 2499U
Chain 10001552
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 10001552

Received 07/29/2010 09:29

Sample ID 10001552-001
Matrix Urine
Patient Name 2499U
Patient ID 2499U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2499U Laxatives Panel (Qualitative), Urine				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Desacetyl Bisacodyl	None Detected	ng/mL	5.0	
Synonym(s): Bisacodyl diphenol				
As a metabolite of bisacodyl, desacetyl bisacodyl was detected in urine over four days following administration of a 5 mg oral dose. The maximum excretion occurred on day 2 of the study.				
Rhein	None Detected	ng/mL	5.0	
Rhein is an anthranoid derivative of natural laxative products. Rhein was detected in urine 32 hours following administration of senna.				
Emodin	None Detected	ng/mL	5.0	
Emodin is an anthranoid derivative of natural laxative products. Emodin was detected in urine 12 hours following administration of rhamnus extract.				
Aloe-Emodin	None Detected	ng/mL	5.0	
Aloe-Emodin is an anthranoid derivative of natural laxative products.				

Results for sample 10001552-001 are continued on next page

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Sample ID 10001552-001
Matrix Urine
Patient Name 2499U
Patient ID 2499U

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.