



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 17:42
Last Report Issued 03/26/2007 13:15

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2516SP-POS
Patient ID 2516SP-POS
Chain 5
DOB Not Given
Sex Not Given
Workorder 04002859
Received 03/31/2004

Lab ID 04002859-001
Matrix Serum or Plasma
Patient Name 2516SP-POS
Patient ID 2516SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

2516SP Lindane, Serum/Plasma

Analysis by Gas Chromatography (GC)

Lindane	5000	ppb	1.0	ELEVATED
Normal: Up to 3 ppb. Toxicologically significant blood concentration: greater than 20 ppb.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.