



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 11/07/2022 07:13
Last Report Issued 08/05/2022 14:11

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name NA
Patient ID 2525SP-POS
Chain 22001835
DOB Not Given
Sex Not Given
Workorder 22001835
Received 07/14/2022

Lab ID 22001835-001
Matrix Serum or Plasma
Patient Name NA
Patient ID 2525SP-POS
Container Type Black Cap Glass Container

Collect Dt/Tm Not Given
Source Not Given
Approx Vol/Weight Not Given

Receipt Notes None Entered

Results were removed from report on 08/05/2022.

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

2525SP Loratadine and Metabolite, Serum/Plasma

Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)

Loratadine 50 ng/mL 1.0
Synonym(s): Alavert®; Claritin®

Descarboethoxyloratadine 50 ng/mL 1.0
Synonym(s): Clarinex®; Desloratadine; Loratadine Metabolite

Peak plasma levels of Loratadine (LOR) and Descarboethoxyloratadine (DCL) following a single oral dose of 10, 20 or 40 mg Loratadine: (10 mg) 4.7, 10.8, 26.1 ng LOR/mL, and 4.0, 9.9, and 16.0 ng DCL/mL.

Peaks occur at 1.0 to 1.5 hours post dose for LOR, and at 1.5 to 3.7 hours post dose for DCL.

Mean steady-state levels following a 40 mg once daily regimen:

Loratadine: Peak of 27 ng/mL at 1.4 hours
Loratadine: Trough of approximately 1.0 ng/mL
DCL: Peak of 29 ng/mL at 3.0 hours
DCL: Trough of approximately 6 ng/mL.

Results for sample 22001835-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Lab ID 22001835-001
Matrix Serum or Plasma
Patient Name NA
Patient ID 2525SP-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.