



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 04/21/2022 17:45  
**Last Report Issued** 03/31/2021 09:57

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 2541U  
**Patient ID** 2541U  
**Chain** 12000749  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 12000749  
**Received** 04/25/2012

**Lab ID** 12000749-001  
**Matrix** Urine  
**Patient Name** 2541U  
**Patient ID** 2541U  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** Not light protected as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**2541U LSD Screen, Urine**

Analysis by Enzyme-Linked Immunosorbent Assay (ELISA)

LSD	None Detected	ng/mL	0.50	
Synonym(s): Lysergic Acid Diethylamide				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.