NMS Labs
3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 01/15/2019 07:11
Last Report Issued 01/07/2019 14:27

88888
Clinical Example Report
Attn: IT Department
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 2670R-POS
Patient ID 2670R-POS
Chain 19000062
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 19000062

Received 01/04/2019 13:02

Disclaimer: Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

Sample ID 19000062-001
Matrix RBCs
Patient Name 2670R-POS
Patient ID 2670R-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2670R Mercury, RBCs				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Mercury	10	mcg/L	3.0	
NMS Labs derived data: 10th - 90th Percentile Data: Mean, 6.4 mcg/L +/- 2.5 (SD); range, 1 - 72 mcg/L (N = 436). Not for clinical diagnostic purposes.				