



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 17:57
Last Report Issued 05/13/2021 14:16

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2835B
Patient ID 2835B
Chain 21000671
DOB Not Given
Sex Not Given
Workorder 21000671
Received 05/13/2021

Lab ID 21000671-001
Matrix Blood
Patient Name 2835B
Patient ID 2835B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|-----------------------|--------|-------|-----------------|-------|
|-----------------------|--------|-------|-----------------|-------|

2835B Methanol, Blood

Analysis by Headspace Gas Chromatography (GC)

| | | | | |
|----------|---------------|-------|-----|--|
| Methanol | None Detected | mg/dL | 5.0 | |
|----------|---------------|-------|-----|--|

Synonym(s): Methyl Alcohol

Endogenous blood levels of methanol from metabolic and dietary sources are approximately 0.15 mg/dL.

Exposure to 800 ppm methanol for 8 hours produced a maximum average blood methanol concentration of 3.1 mg/dL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.