



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 18:02
Last Report Issued 10/29/2003 14:35

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3005SP
Patient ID 3005SP
Chain 03006479
DOB Not Given
Sex Not Given
Workorder 03006479
Received 10/28/2003

Lab ID 03006479-001
Matrix Serum or Plasma
Patient Name 3005SP
Patient ID 3005SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

3005SP Methylchloroform Exposure, Serum/Plasma

Analysis by Gas Chromatography (GC)

Trichloroethanol - Total	None Detected	mg/L	0.50	
Biological Exposure Index (ACGIH): 1 mg Trichloroethanol (Total)/L blood measured in an end of shift at end of work week specimen.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.