



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 04/21/2022 18:03  
**Last Report Issued** 05/13/2019 08:06

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 3041B  
**Patient ID** 3041B  
**Chain** 18001913  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 18001913  
**Received** 11/21/2018

**Lab ID** 18001913-001  
**Matrix** Blood  
**Patient Name** 3041B  
**Patient ID** 3041B  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**3041B Metoclopramide, Blood**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Metoclopramide	None Detected	ng/mL	10	
----------------	---------------	-------	----	--

Synonym(s): Reglan®

Daily treatment with 20 mg for 8 days produced peak plasma concentrations of 44 +/- 15 ng/mL.  
The blood to plasma ratio is approximately 1.0.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.