



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 04/21/2022 18:03  
**Last Report Issued** 05/18/2021 09:51

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 3043FL-POS  
**Patient ID** 3043FL-POS  
**Chain** 15002302  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 15002302  
**Received** 09/09/2015

**Lab ID** 15002302-001  
**Matrix** Fluid  
**Patient Name** 3043FL-POS  
**Patient ID** 3043FL-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**3043FL Metoprolol, Fluid**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Metoprolol	200	ng/mL	20	
Synonym(s): Lopressor®				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.