



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 18:05
Last Report Issued 11/08/2012 10:18

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3060U-POS
Patient ID 3060U-POS
Chain 12003259
DOB Not Given
Sex Not Given
Workorder 12003259
Received 11/08/2012

Lab ID 12003259-001
Matrix Urine
Patient Name 3060U-POS
Patient ID 3060U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for Creatinine and N-Methylacetamide.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Results for sample 12003259-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Lab ID 12003259-001
Matrix Urine
Patient Name 3060U-POS
Patient ID 3060U-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

6022U Specific Gravity Confirmation, Urine

Analysis by Refractometer (REF)

Specific Gravity	0.000			
------------------	-------	--	--	--

Physiologic range: 1.010 - 1.030.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.