



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 18:06
Last Report Issued 11/08/2012 10:18

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3060U
Patient ID 3060U
Chain 12003258
DOB Not Given
Sex Not Given
Workorder 12003258
Received 11/08/2012

Lab ID 12003258-001
Matrix Urine
Patient Name 3060U
Patient ID 3060U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

3060U N,N-Dimethylacetamide Exposure (N-Methylacetamide), Urine

Analysis by Colorimetry (C)

Table row for Creatinine: 1000 mg/L, Reporting Limit 100. Includes U.S. Population and All participants data.

Analysis by Gas Chromatography (GC)

Table row for N-Methylacetamide: None Detected mg/L, Reporting Limit 5.0. Includes synonym MMAC - DMAC Metabolite.

Table row for N-Methylacetamide (Creatinine corrected): None Detected mg/g Creat, Reporting Limit 5.0. Includes Biological Exposure Index details.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.