



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 04/21/2022 18:08  
**Last Report Issued** 01/05/2009 07:45

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 3082SP-POS  
**Patient ID** 3082SP-POS  
**Chain 1**  
**DOB** Not Given  
**Sex** Not Given  
**Workorder** 08002390  
**Received** 08/08/2008

**Lab ID** 08002390-001  
**Matrix** Serum or Plasma  
**Patient Name** 3082SP-POS  
**Patient ID** 3082SP-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**3082SP Molindone, Serum/Plasma**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Molindone	5000	ng/mL	1.0	ELEVATED
-----------	------	-------	-----	----------

Synonym(s): Moban®

Steady-state plasma levels from patients on doses of  
100 to 400 mg/day: 39 - 374 ng/mL, with high  
interpatient variability.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.