



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 18:08
Last Report Issued 06/09/2014 08:19

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3090U
Patient ID 3090U
Chain 14001481
DOB Not Given
Sex Not Given
Workorder 14001481
Received 06/05/2014

Lab ID 14001481-001
Matrix Urine
Patient Name 3090U
Patient ID 3090U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

3090U Molybdenum, Urine

Analysis by Colorimetry (C)

Table with 4 columns: Analysis and Comments, Result, Units, Reporting Limit. Row 1: Creatinine, 1000, mg/L, 100. Includes U.S. Population and gender-specific data.

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Table with 4 columns: Analysis and Comments, Result, Units, Reporting Limit. Row 1: Molybdenum, None Detected, mcg/L, 2.0. Row 2: Molybdenum (Creatinine corrected), None Detected, mcg/g Creat, 2.0.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.