NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 09/09/2011 14:33
Last Report Issued 12/16/2010 09:13

88888
Clinical Dummy reports
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 3292U-POS
Patient ID 3292U-POS
Chain 10003030
Age Not Given **Gender** Not Given

Workorder 10003030

Received 12/16/2010 08:06

Sample ID 10003030-001
Matrix Urine
Patient Name 3292U-POS
Patient ID 3292U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
3292U Palladium, Urine				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Palladium	5.0	mcg/L	1.0	ELEVATED
Normally: Less than 0.2 mcg/L.				