



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 06/06/2022 08:25
Last Report Issued 02/15/2022 12:44

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 3765SP
Patient ID 3765SP
Chain 22000672
DOB Not Given
Sex Not Given
Workorder 22000672
Received 02/15/2022

Lab ID 22000672-001
Matrix Serum or Plasma
Patient Name 3765SP
Patient ID 3765SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

3765SP Phosphorus - Total, Serum/Plasma

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Phosphorus	None Detected	mg/dL	0.80	
------------	---------------	-------	------	--

Synonym(s): Phosphate
Age and Exposure dependent:
12-60 years old: 2.7-4.5 mg/dL.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.