NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 13:22
Last Report Issued 08/02/2006 14:16

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4120SP-POS
Patient ID 4120SP-POS
Chain 06010808
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 06010808

Received 06/28/2006 10:29

Sample ID 06010808-001
Matrix Serum or Plasma
Patient Name 4120SP-POS
Patient ID 4120SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
4120SP Ropivacaine, Serum/Plasma				
Analysis by Gas Chromatography (GC)				
Ropivacaine	25000	mcg/mL	0.10	ELEVATED
Synonym(s): Naropin®				
Following epidural administration 10 mg/hr, 20 mg/hr and 30 mg/hr, mean plasma concentration of 0.39, 0.88, 1.19 mcg/mL at 21 hours respectively. Bolus I.V. administration 84 mg/70 kg and 131 mg/70 kg, peak plasma concentrations of 1.1 and 1.7 mcg/mL at 2 minutes respectively.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.