NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 11/05/2007 06:58
Last Report Issued 10/03/2007 06:22

88888
IS TESTING ACCOUNT
Attn: IS Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 4320U-POS
Patient ID 4320U-POS
Chain 1
Age Not Given **Gender** Not Given

Workorder 07002332

Received 10/01/2007 08:56

Sample ID 07002332-001
Matrix Urine
Patient Name 4320U-POS
Patient ID 4320U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
4320U Tellurium, Urine				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Tellurium	5000	mcg/L	11	ELEVATED
Normally: Less than 1 mcg/L.				