



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 05/18/2021 10:20  
**Last Report Issued** 05/18/2021 10:20

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 4378SP  
**Patient ID** 4378SP  
**Chain** 06011098  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 06011098  
**Received** 06/28/2006 13:48

**Sample ID** 06011098-001  
**Matrix** Serum or Plasma  
**Patient Name** 4378SP  
**Patient ID** 4378SP  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|-----------------------|--------|-------|-----------------|-------|
|-----------------------|--------|-------|-----------------|-------|

**4378SP Thenyldiamine, Serum/Plasma**

Analysis by Gas Chromatography (GC)

|               |               |       |     |  |
|---------------|---------------|-------|-----|--|
| Thenyldiamine | None Detected | ng/mL | 2.0 |  |
|---------------|---------------|-------|-----|--|

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.