



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 13:37
Last Report Issued 11/11/2003 14:26

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4650SP
Patient ID 4650SP
Chain 03008716
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 03008716
Received 11/11/2003 10:58

Sample ID 03008716-001
Matrix Serum or Plasma
Patient Name 4650SP
Patient ID 4650SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|-----------------------|--------|-------|-----------------|-------|
|-----------------------|--------|-------|-----------------|-------|

4650SP Trichloroethylene, Serum/Plasma

Analysis by Gas Chromatography (GC)

| | | | | |
|---|---------------|--------|------|--|
| Trichloroethanol | None Detected | mcg/mL | 0.50 | |
| Synonym(s): Trichloroethylene Metabolite | | | | |
| ACGIH biological exposure index: 4 mcg/mL blood collected at the end of shift at the end of workweek. | | | | |

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.