NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 13:39
Last Report Issued 06/25/2012 10:54

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4704B-POS
Patient ID 4704B-POS
Chain 12001625
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 12001625

Received 06/25/2012 10:37

Sample ID 12001625-001
Matrix Blood
Patient Name 4704B-POS
Patient ID 4704B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
4704B Trimethoprim, Blood				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Trimethoprim	5.0	mcg/mL	0.50	
Synonym(s): Proloprim®; Trimpex®				
Steady-state trough serum levels following a regimen of 160 mg every 12 hours: 1.2 - 3.2 mcg/mL. Steady-state maximum plasma levels following a regimen of 300 mg once daily: 3.1 - 9.5 mcg/mL at 1 to 4 hours post dose.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.