



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 19:04
Last Report Issued 06/17/2020 10:21

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4755UH-POS
Patient ID 4755UH-POS
Chain 20001321
DOB Not Given
Sex Not Given
Workorder 20001321
Received 06/17/2020

Lab ID 20001321-001
Matrix 24 Hour Urine
Patient Name 4755UH-POS
Patient ID 4755UH-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Row 1: 4755UH Uranium, 24 Hour Urine. Row 2: Uranium Volume (1.0 L). Row 3: Uranium (5.0 mcg/L, 0.10). Row 4: Uranium (Urine Volume corrected) (5.0 mcg/24 hr, 0.10, ELEVATED).

Normal (unexposed population):
Less than 0.1 mcg/24 Hours.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.