



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 19:04
Last Report Issued 08/25/2020 08:53

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4757SP
Patient ID 4757SP
Chain 20001792
DOB Not Given
Sex Not Given
Workorder 20001792
Received 08/25/2020

Lab ID 20001792-001
Matrix Serum or Plasma
Patient Name 4757SP
Patient ID 4757SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

4757SP Valproic Acid, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Valproic Acid	None Detected	mcg/mL	5.0	
Synonym(s): Depakene®; Depakote®; Valproate				
Recommended serum concentration range during anticonvulsant therapy with valproic acid: 50-100 mcg/mL				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.