



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 19:11
Last Report Issued 04/12/2021 10:51

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 6317U-POS
Patient ID 6317U-POS
Chain 21000566
DOB Not Given
Sex Not Given
Workorder 21000566
Received 04/12/2021

Lab ID 21000566-001
Matrix Urine
Patient Name 6317U-POS
Patient ID 6317U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

6022U Specific Gravity Confirmation, Urine

Analysis by Refractometer (REF)

Specific Gravity	1.100			ELEVATED
Physiologic range: 1.010 - 1.030. Samples with specific gravity lower than 1.010 are too dilute and should be recollected.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

6317U Semi Conductor Panel, Urine

Analysis by Colorimetry (C)

Creatinine	5000	mg/L	100	ELEVATED
U.S. Population (10th - 90th percentiles, median) All participants: 335 - 2370 mg/L, median 1180 (n=22,245) Males: 495 - 2540 mg/L, median 1370 (n=10,610) Females: 273 - 2170 mg/L, median 994 (n=11,635)				

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Results for sample 21000566-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Lab ID 21000566-001
Matrix Urine
Patient Name 6317U-POS
Patient ID 6317U-POS

Collect Dt/Tm Not Given
Source Not Given

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Rows include Arsenic, Arsenic (Creatinine corrected), Cadmium, Cadmium (Creatinine corrected), Selenium, Selenium (Creatinine corrected), Tellurium, and Mercury.

Results for sample 21000566-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Lab ID 21000566-001
Matrix Urine
Patient Name 6317U-POS
Patient ID 6317U-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

Normally: Less than 5 mcg/L.

Various states require that levels above certain cutoffs must be reported to the state in which the patient resides. Please contact NMS Labs if you need assistance in supplying your state with the required information.

Mercury (Creatinine corrected)	1.0	mcg/g Creat	0.20	
--------------------------------	-----	-------------	------	--

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.