NMS Labs

200 Welsh Road, Horsham, PA 19044-2208 Phone: (215) 657-4900 Fax: (215) 657-2972 e-mail: nms@nmslabs.com Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report Report Issued 03/30/2020 14:07 Last Report Issued 08/04/2015 07:33 88888 Clinical Example Report Attn: Example Reports 200 Welsh Road Horsham, PA 19044	Patient Name 8664FL-POSPatient ID 8664FL-POSChain 15001907Age Not GivenDOB Not GivenGender Not GivenWorkorder15001907Received08/03/2015 13:03			
Sample ID 15001907-001 Matrix Fluid Patient Name 8664FL-POS Patient ID 8664FL-POS Container Type Clear vial Receipt Notes None Entered	Collect Dt/Tm Not Given Source Not Given Approx Vol/Weight Not Given			
Analysis and Comments 	Result	Units	Reporting Limit	Notes
 Fluid Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) Hydromorphone - Free Synonym(s): Dilaudid® 	50	ng/mL	1.0	

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.