



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 14:12
Last Report Issued 04/11/2005 09:47

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 8707SP
Patient ID 8707SP
Chain 5
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 05001936
Received 04/04/2005 12:02

Sample ID 05001936-001
Matrix Serum or Plasma
Patient Name 8707SP
Patient ID 8707SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

8707SP Clomipramine and Metabolite, Serum/Plasma

Analysis by Gas Chromatography (GC) and Gas Chromatography/Mass Spectrometry (GC/MS)

Clomipramine	None Detected	ng/mL	10	
Desmethylclomipramine	None Detected	ng/mL	10	

The plasma concentrations of Clomipramine and metabolite vary widely between patients. The suggested antidepressant range for the sum of Clomipramine plus Desmethylclomipramine: 200 - 500 ng/mL plasma.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.