



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 14:18
Last Report Issued 02/23/2017 09:03

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9103U-POS
Patient ID 9103U-POS
Chain 17000184
Age Not Given DOB Not Given
Gender Not Given
Workorder 17000184
Received 02/06/2017 15:01

Sample ID 17000184-001
Matrix Urine
Patient Name 9103U-POS
Patient ID 9103U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

9103U Alfentanil Screen, Urine

Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)

Table with 4 columns: Analyte, Result, Units, Reporting Limit. Rows for Alfentanil and Noralfentanil.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5659U Alfentanil Confirmation, Urine

Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)

Table with 4 columns: Analyte, Result, Units, Reporting Limit. Rows for Alfentanil and Noralfentanil.

Results for sample 17000184-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 17000184-001

Matrix Urine

Patient Name 9103U-POS

Patient ID 9103U-POS

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.