



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 14:18  
**Last Report Issued** 12/15/2008 10:41

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 9118B-POS  
**Patient ID** 9118B-POS  
**Chain 1**  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 06012885  
**Received** 11/10/2006 09:41

**Sample ID** 06012885-001  
**Matrix** Blood  
**Patient Name** 9118B-POS  
**Patient ID** 9118B-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**9118B Brompheniramine Screen, Blood**

Analysis by Gas Chromatography (GC)

Brompheniramine	5000	ng/mL	10	ELEVATED
Synonym(s): Dimetane®; Dimetapp®				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

**5463B Brompheniramine Confirmation, Blood**

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Brompheniramine	Confirmed	ng/mL	10	
Synonym(s): Dimetane®; Dimetapp®				
Therapeutic range: 5 - 15 ng/mL.				
Toxic: Greater than 500 ng/mL.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.