



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 01/29/2008 13:54

Last Report Issued 08/02/2006 14:49

88888

IS TESTING ACCOUNT

Attn: IS Department

200 Welsh Road

Horsham, PA 19044-2208

Patient Name 9215SP-POS

Patient ID 9215SP-POS

Chain 06009153

Age Not Given Gender Not Given

Workorder 06009153

Received 06/23/2006 08:01

Sample ID 06009153-001

Matrix Serum or Plasma

Patient Name 9215SP-POS

Patient ID 9215SP-POS

Container Type Clear vial

Collect Dt/Tm Not Given

Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

9215SP Nitrazepam and Metabolite Screen, Serum/Plasma

Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Table row for Nitrazepam: See Comment, ng/mL, 2.0. Includes synonym Mogadon and clinical ranges.

Table row for 7-Amino Nitrazepam: See Comment, ng/mL, 2.0. Includes synonym Nitrazepam Metabolite and a comment about further testing.

5589SP Nitrazepam and Metabolite Confirmation, Serum/Plasma

Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Table row for Nitrazepam: 5000, ng/mL, 2.0, ELEVATED. Includes synonym Mogadon.

Results for sample 06009153-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 06009153-001
Matrix Serum or Plasma
Patient Name 9215SP-POS
Patient ID 9215SP-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
Usual anticonvulsant range: 30 - 70 ng/mL. Toxic at greater than 200 ng/mL.				
7-Amino Nitrazepam Synonym(s): Nitrazepam Metabolite	5000	ng/mL	2.0	