



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 14:27
Last Report Issued 10/29/2013 08:14

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9288B
Patient ID 9288B
Chain 13003014
Age Not Given DOB Not Given
Gender Not Given
Workorder 13003014
Received 08/13/2013 14:37

Sample ID 13003014-001
Matrix Blood
Patient Name 9288B
Patient ID 9288B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

9288B Tramadol and Metabolite Screen, Blood

Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)

Tramadol None Detected ng/mL 20
Synonym(s): Ultrax®; Ultram®
Peak plasma levels following a single 100 mg oral dose: 230 - 380 ng/mL.
Steady-state plasma levels following a 100mg 4 times daily regimen: 420 - 770 ng/mL.

O-Desmethyltramadol None Detected ng/mL 20
Synonym(s): Tramadol Metabolite
Peak plasma concentration following a single 100 mg oral dose: 35 - 75 ng O-Desmethyltramadol/mL.
Steady-state plasma concentration following a 100 mg 4 times daily regimen: 80 - 140 ng O-Desmethyltramadol/mL.

The ratio of whole blood concentration to serum or plasma concentration is unknown for this analyte.

Results for sample 13003014-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 13003014-001

Matrix Blood

Patient Name 9288B

Patient ID 9288B

Collect Dt/Tm Not Given

Source Not Given

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|------------------------------|---------------|--------------|------------------------|--------------|
|------------------------------|---------------|--------------|------------------------|--------------|

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.